

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education and physical activity	51.7	49.4 - 53.9	62	57.1	55.4 - 58.8	113	-	-	0	55.1	53.7 - 56.4	175
b. Nutrition	54.9	52.6 - 57.1	62	57.0	55.3 - 58.6	113	-	-	0	56.2	54.8 - 57.5	175
c. Tobacco-use prevention	54.0	51.8 - 56.3	63	48.9	47.3 - 50.6	113	-	-	0	50.9	49.5 - 52.2	176
d. Chronic health conditions (e.g., asthma, food allergies)	45.2	42.9 - 47.5	62	42.4	40.8 - 44.1	113	-	-	0	43.5	42.1 - 44.8	175
e. Unintentional injury and violence prevention (safety)	50.9	48.6 - 53.1	63	47.2	45.5 - 48.9	113	-	-	0	48.6	47.2 - 49.9	176
f. Sexual health, including HIV, other STD, and pregnancy prevention	50.9	48.6 - 53.1	63	44.5	42.9 - 46.2	113	-	-	0	46.9	45.6 - 48.3	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Health education	11.1	9.8 - 12.6	63	14.1	13.0 - 15.3	113	-	-	0	13.0	12.1 - 13.9	176
b. Physical education	11.1	9.8 - 12.6	63	12.4	11.3 - 13.5	113	-	-	0	11.9	11.1 - 12.8	176
c. Physical activity	11.1	9.8 - 12.6	63	12.4	11.3 - 13.5	113	-	-	0	11.9	11.1 - 12.8	176
d. School meal programs	11.1	9.8 - 12.6	63	12.4	11.3 - 13.5	113	-	-	0	11.9	11.1 - 12.8	176
e. Foods and beverages available at school outside the school meal programs	11.1	9.8 - 12.6	63	12.4	11.3 - 13.5	113	-	-	0	11.9	11.1 - 12.8	176
f. Health services	14.3	12.8 - 15.9	63	13.3	12.2 - 14.5	113	-	-	0	13.7	12.7 - 14.6	176
g. Counseling, psychological, and social services	15.8	14.3 - 17.6	63	15.9	14.7 - 17.2	113	-	-	0	15.9	14.9 - 16.9	176
h. Physical environment	14.3	12.8 - 15.9	63	15.8	14.6 - 17.1	113	-	-	0	15.2	14.3 - 16.2	176
i. Social and emotional climate	15.8	14.3 - 17.6	63	18.5	17.3 - 19.9	113	-	-	0	17.5	16.5 - 18.6	176
j. Family engagement	12.7	11.2 - 14.2	63	18.5	17.3 - 19.9	113	-	-	0	16.3	15.4 - 17.4	176
k. Community involvement	12.7	11.2 - 14.2	63	18.5	17.3 - 19.9	113	-	-	0	16.3	15.4 - 17.4	176
l. Employee wellness	12.7	11.3 - 14.3	63	15.0	13.9 - 16.3	113	-	-	0	14.1	13.2 - 15.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school’s improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.2	90.7 - 93.4	51	76.5	74.6 - 78.2	73	-	-	0	83.3	82.0 - 84.4	124

*Among schools that engaged in an improvement planning process during the past year.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Reviewed district's local wellness policy	96.8	95.9 - 97.5	63	96.3	95.6 - 96.9	113	-	-	0	96.5	96.0 - 97.0	176
b. Helped revise district's local wellness policy	80.9	79.1 - 82.7	63	71.8	70.3 - 73.3	113	-	-	0	75.3	74.1 - 76.4	176
c. Communicated to school staff about district's local wellness policy	87.2	85.7 - 88.7	63	92.8	91.9 - 93.7	113	-	-	0	90.7	89.9 - 91.5	176
d. Communicated to parents and families about district's local wellness policy	76.2	74.2 - 78.0	63	83.2	81.8 - 84.4	113	-	-	0	80.5	79.4 - 81.6	176
e. Communicated to students about district's local wellness policy	76.1	74.2 - 78.0	63	81.2	79.9 - 82.5	113	-	-	0	79.3	78.2 - 80.4	176
f. Measured school's compliance with district's local wellness policy	74.6	72.6 - 76.5	63	76.7	75.2 - 78.1	113	-	-	0	75.9	74.7 - 77.0	176
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	57.2	54.9 - 59.4	63	61.8	60.2 - 63.4	113	-	-	0	60.1	58.7 - 61.4	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.3	94.2 - 96.1	63	94.9	94.1 - 95.6	113	-	-	0	95.0	94.4 - 95.6	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
79.4	77.5 - 81.2	63	77.1	75.7 - 78.5	113	-	-	0	78.0	76.8 - 79.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Identified student health needs based on a review of relevant data	78.0	75.9 - 80.1	50	79.1	77.5 - 80.6	87	-	-	0	78.7	77.4 - 79.9	137
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	90.1	88.4 - 91.5	50	87.7	86.4 - 88.9	87	-	-	0	88.6	87.6 - 89.5	137
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	70.0	67.6 - 72.3	50	77.8	76.2 - 79.4	87	-	-	0	74.8	73.5 - 76.2	137
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	92.0	90.5 - 93.3	50	96.5	95.7 - 97.1	87	-	-	0	94.8	94.0 - 95.4	137
e. Reviewed health-related curricula or instructional materials	94.0	92.7 - 95.1	50	89.6	88.4 - 90.7	87	-	-	0	91.3	90.4 - 92.1	137
f. Assessed the availability of physical activity opportunities for students	80.0	77.9 - 82.0	50	89.6	88.3 - 90.7	87	-	-	0	85.9	84.8 - 86.9	137
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	30.0	27.7 - 32.4	50	38.8	36.9 - 40.7	87	-	-	0	35.4	34.0 - 36.9	137

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
90.5	89.1 - 91.7	63	58.8	57.1 - 60.5	113	-	-	0	70.8	69.5 - 72.0	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	98.4	97.8 - 98.9	63	94.0	93.2 - 94.8	113	-	-	0	95.7	95.1 - 96.2	176
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	73.1	71.0 - 75.0	63	62.7	61.1 - 64.4	113	-	-	0	66.6	65.4 - 67.9	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.4	85.8 - 88.8	63	24.4	23.0 - 25.9	113	-	-	0	48.1	46.8 - 49.5	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	98.4	97.8 - 98.9	63	81.8	80.5 - 83.1	113	-	-	0	88.1	87.2 - 88.9	176
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	63	97.3	96.7 - 97.8	113	-	-	0	98.3	97.9 - 98.6	176
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	89.0	87.5 - 90.3	63	89.3	88.2 - 90.3	113	-	-	0	89.2	88.3 - 90.0	176
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	81.0	79.1 - 82.7	63	62.4	60.7 - 64.0	113	-	-	0	69.4	68.1 - 70.6	176
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	87.3	85.7 - 88.7	63	72.1	70.6 - 73.6	113	-	-	0	77.8	76.7 - 78.9	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.9	87.4 - 90.2	63	86.2	85.0 - 87.3	113	-	-	0	87.2	86.3 - 88.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.8	95.9 - 97.5	63	95.7	94.9 - 96.3	113	-	-	0	96.1	95.5 - 96.6	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	63	99.1	98.7 - 99.4	113	-	-	0	99.4	99.2 - 99.6	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

15. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Sixth grade	§	§	§	94.5	93.7 - 95.3	104	-	-	0	94.5	93.7 - 95.3	104
b. Seventh grade	§	§	§	94.0	93.1 - 94.7	112	-	-	0	94.0	93.1 - 94.7	112
c. Eighth grade	§	§	§	93.0	92.1 - 93.8	112	-	-	0	93.0	92.1 - 93.8	112
d. Ninth grade	92.0	90.6 - 93.1	62	-	-	0	-	-	0	92.0	90.6 - 93.1	62
e. Tenth grade	71.0	68.9 - 73.1	62	§	§	§	-	-	0	71.0	68.9 - 73.1	62
f. Eleventh grade	43.6	41.4 - 45.9	62	§	§	§	-	-	0	43.6	41.4 - 45.9	62
g. Twelfth grade	40.4	38.1 - 42.6	62	§	§	§	-	-	0	40.4	38.1 - 42.6	62

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
100.0	†	63	95.6	94.8 - 96.2	113	-	-	0	97.2	96.8 - 97.7	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Goals, objectives, and expected outcomes for physical education	98.4	97.8 - 98.9	63	95.5	94.7 - 96.2	113	-	-	0	96.6	96.1 - 97.1	176
b. A chart describing the annual scope and sequence of instruction for physical education	92.1	90.8 - 93.2	63	82.3	80.9 - 83.5	113	-	-	0	86.0	85.0 - 86.9	176
c. Plans for how to assess student performance in physical education	96.8	95.9 - 97.5	63	86.8	85.6 - 87.9	113	-	-	0	90.6	89.7 - 91.3	176
d. A written physical education curriculum	96.8	95.9 - 97.5	63	83.0	81.7 - 84.3	113	-	-	0	88.2	87.3 - 89.1	176
e. Resources for fitness testing	95.3	94.2 - 96.1	63	96.3	95.6 - 96.9	113	-	-	0	95.9	95.3 - 96.4	176
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	84.2	82.4 - 85.7	63	78.7	77.3 - 80.1	113	-	-	0	80.8	79.7 - 81.8	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
41.2	39.0 - 43.4	63	80.6	79.3 - 81.9	113	-	-	0	65.8	64.5 - 67.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.7	64.6 - 68.8	63	83.1	81.8 - 84.3	113	-	-	0	76.9	75.8 - 78.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

20. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.8	96.0 - 97.5	63	92.8	91.9 - 93.6	113	-	-	0	94.3	93.7 - 94.9	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Before the school day	39.7	37.5 - 41.9	63	43.3	41.6 - 44.9	113	-	-	0	41.9	40.6 - 43.3	176
b. After the school day	87.4	85.8 - 88.8	63	80.3	78.9 - 81.6	113	-	-	0	83.0	81.9 - 84.0	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Physical activity or sports facilities	63.5	61.3 - 65.7	63	70.5	68.9 - 72.0	113	-	-	0	67.9	66.6 - 69.1	176
b. Kitchen facilities and equipment	34.9	32.8 - 37.1	63	37.0	35.3 - 38.6	113	-	-	0	36.2	34.9 - 37.5	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
100.0	†	63	99.2	98.9 - 99.4	113	-	-	0	99.5	99.3 - 99.7	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	63	98.3	97.8 - 98.7	113	-	-	0	98.9	98.6 - 99.2	176
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	63	98.3	97.8 - 98.7	113	-	-	0	98.9	98.6 - 99.2	176
c. Cigars	96.8	95.9 - 97.5	63	98.3	97.8 - 98.7	113	-	-	0	97.7	97.3 - 98.1	176
d. Pipes	93.7	92.5 - 94.7	63	93.8	92.9 - 94.6	113	-	-	0	93.8	93.1 - 94.4	176
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.6	92.4 - 94.7	63	79.5	78.1 - 80.8	113	-	-	0	84.8	83.8 - 85.7	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	63	98.3	97.8 - 98.7	113	-	-	0	98.9	98.6 - 99.2	176
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	63	98.3	97.8 - 98.7	113	-	-	0	98.9	98.6 - 99.2	176
c. Cigars	95.2	94.2 - 96.1	63	98.3	97.8 - 98.7	113	-	-	0	97.1	96.6 - 97.5	176
d. Pipes	92.1	90.8 - 93.2	63	93.8	92.9 - 94.6	113	-	-	0	93.2	92.4 - 93.8	176
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	88.9	87.4 - 90.2	63	79.5	78.1 - 80.8	113	-	-	0	83.0	82.0 - 84.0	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	63	98.3	97.8 - 98.7	113	-	-	0	98.9	98.6 - 99.2	176
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	63	96.6	95.9 - 97.1	113	-	-	0	97.9	97.4 - 98.2	176
c. Cigars	95.2	94.2 - 96.1	63	98.3	97.8 - 98.7	113	-	-	0	97.1	96.6 - 97.5	176
d. Pipes	92.1	90.8 - 93.2	63	93.8	92.9 - 94.6	113	-	-	0	93.2	92.4 - 93.8	176
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	88.9	87.4 - 90.2	63	77.7	76.3 - 79.1	113	-	-	0	81.9	80.9 - 83.0	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	96.8	95.9 - 97.5	63	94.7	93.9 - 95.4	113	-	-	0	95.5	94.9 - 96.0	176
b. During non-school hours	92.1	90.8 - 93.2	63	92.8	91.9 - 93.7	113	-	-	0	92.5	91.8 - 93.2	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	93.7	92.5 - 94.7	63	93.8	92.9 - 94.6	113	-	-	0	93.7	93.1 - 94.4	176
b. During non-school hours	87.3	85.7 - 88.7	63	91.0	90.0 - 91.9	113	-	-	0	89.6	88.7 - 90.4	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	93.7	92.5 - 94.7	63	93.8	92.9 - 94.6	113	-	-	0	93.7	93.1 - 94.4	176
b. During non-school hours	87.3	85.7 - 88.7	63	91.0	90.0 - 91.9	113	-	-	0	89.6	88.7 - 90.4	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	63	99.2	98.9 - 99.4	113	-	-	0	99.5	99.3 - 99.7	176
b. Outside on school grounds, including parking lots and playing fields	100.0	†	63	99.2	98.9 - 99.4	113	-	-	0	99.5	99.3 - 99.7	176
c. On school buses or other vehicles used to transport students	100.0	†	63	98.3	97.8 - 98.7	113	-	-	0	98.9	98.6 - 99.2	176
d. At off-campus, school-sponsored events	93.7	92.5 - 94.7	63	91.2	90.2 - 92.1	113	-	-	0	92.1	91.4 - 92.8	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	63	99.2	98.9 - 99.4	113	-	-	0	99.5	99.3 - 99.7	176
b. Outside on school grounds, including parking lots and playing fields	100.0	†	63	99.2	98.9 - 99.4	113	-	-	0	99.5	99.3 - 99.7	176
c. On school buses or other vehicles used to transport students	100.0	†	63	98.3	97.8 - 98.7	113	-	-	0	98.9	98.6 - 99.2	176
d. At off-campus, school-sponsored events	90.5	89.1 - 91.7	63	90.3	89.3 - 91.3	113	-	-	0	90.4	89.6 - 91.2	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	63	99.2	98.9 - 99.4	113	-	-	0	99.5	99.3 - 99.7	176
b. Outside on school grounds, including parking lots and playing fields	100.0	†	63	99.2	98.9 - 99.4	113	-	-	0	99.5	99.3 - 99.7	176
c. On school buses or other vehicles used to transport students	98.4	97.7 - 98.9	63	97.4	96.8 - 97.9	113	-	-	0	97.8	97.4 - 98.1	176
d. At off-campus, school-sponsored events	81.0	79.1 - 82.7	63	79.0	77.6 - 80.3	113	-	-	0	79.7	78.6 - 80.8	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.5	61.3 - 65.7	63	71.8	70.2 - 73.3	113	-	-	0	68.7	67.4 - 69.9	176

*Responses to question 24 (a, b, c, and d), question 25 (a and b), and question 26 (a, b, c, and d) are all "yes."

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
90.4	89.0 - 91.7	63	91.9	91.0 - 92.8	113	-	-	0	91.4	90.6 - 92.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	8.0	6.8 - 9.3	63	0.9	0.7 - 1.3	113	-	-	0	3.6	3.1 - 4.1	176
b. Never	0.0	†	63	0.0	†	113	-	-	0	0.0	†	176
c. Rarely	1.6	1.1 - 2.2	63	3.4	2.9 - 4.1	113	-	-	0	2.7	2.3 - 3.2	176
d. Sometimes	31.7	29.6 - 33.8	63	26.8	25.3 - 28.3	113	-	-	0	28.7	27.4 - 29.9	176
e. Always or almost always	58.8	56.5 - 61.0	63	68.8	67.2 - 70.4	113	-	-	0	65.0	63.7 - 66.3	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
35.0	32.9 - 37.2	63	29.6	28.1 - 31.2	113	-	-	0	31.6	30.4 - 32.9	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.4	85.8 - 88.8	63	52.4	50.7 - 54.1	113	-	-	0	65.6	64.3 - 66.8	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Chocolate candy	4.8	3.9 - 5.9	63	0.8	0.6 - 1.1	113	-	-	0	2.3	1.9 - 2.8	176
b. Other kinds of candy	11.2	9.8 - 12.7	63	0.9	0.7 - 1.3	113	-	-	0	4.8	4.2 - 5.4	176
c. Salty snacks that are not low in fat (e.g., regular potato chips)	27.0	25.0 - 29.1	63	14.7	13.5 - 15.9	113	-	-	0	19.3	18.3 - 20.4	176
d. Low sodium or "no added salt" pretzels, crackers, or chips	65.1	62.9 - 67.2	63	36.3	34.7 - 37.9	113	-	-	0	47.2	45.8 - 48.5	176
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	20.7	18.9 - 22.6	63	11.3	10.3 - 12.4	113	-	-	0	14.8	13.9 - 15.8	176
f. Ice cream or frozen yogurt that is not low in fat	22.2	20.4 - 24.2	63	12.8	11.8 - 14.0	113	-	-	0	16.4	15.4 - 17.4	176
g. 2% or whole milk (plain or flavored)	39.7	37.5 - 41.9	63	21.8	20.4 - 23.2	113	-	-	0	28.5	27.3 - 29.8	176
h. Nonfat or 1% (low-fat) milk (plain)	58.7	56.5 - 60.9	63	36.6	35.0 - 38.3	113	-	-	0	45.0	43.6 - 46.3	176
i. Water ices or frozen slushes that do not contain juice	17.5	15.8 - 19.3	63	6.3	5.5 - 7.2	113	-	-	0	10.5	9.7 - 11.4	176
j. Soda pop or fruit drinks that are not 100% juice	11.1	9.8 - 12.6	63	4.3	3.7 - 5.0	113	-	-	0	6.9	6.2 - 7.6	176
k. Sports drinks (e.g., Gatorade)	49.3	47.1 - 51.6	63	12.2	11.1 - 13.3	113	-	-	0	26.2	25.0 - 27.4	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
l. Energy drinks (e.g., Red Bull, Monster)	4.8	3.9 - 5.8	63	0.0	†	113	-	-	0	1.8	1.5 - 2.2	176
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	87.4	85.8 - 88.8	63	51.6	49.9 - 53.3	113	-	-	0	65.1	63.8 - 66.3	176
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	74.6	72.6 - 76.5	63	33.9	32.3 - 35.5	113	-	-	0	49.2	47.9 - 50.6	176
o. 100% fruit or vegetable juice	57.2	54.9 - 59.4	63	34.6	33.0 - 36.2	113	-	-	0	43.1	41.7 - 44.4	176
p. Foods or beverages containing caffeine	36.6	34.4 - 38.8	63	1.8	1.4 - 2.3	113	-	-	0	14.9	13.9 - 15.9	176
q. Fruits (not fruit juice)	55.6	53.3 - 57.8	63	35.7	34.1 - 37.3	113	-	-	0	43.2	41.9 - 44.5	176
r. Non-fried vegetables (not vegetable juice)	41.2	39.0 - 43.5	63	32.2	30.7 - 33.8	113	-	-	0	35.6	34.3 - 36.9	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	20.7	18.9 - 22.5	63	16.8	15.6 - 18.1	113	-	-	0	18.3	17.2 - 19.3	176
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	68.3	66.1 - 70.3	63	63.1	61.5 - 64.7	113	-	-	0	65.1	63.7 - 66.3	176
c. Provided information to students or families on the nutrition and caloric content of foods available	69.9	67.8 - 71.9	63	71.7	70.2 - 73.2	113	-	-	0	71.1	69.8 - 72.3	176
d. Conducted taste tests to determine food preferences for nutritious items	47.6	45.4 - 49.9	63	48.6	46.9 - 50.3	113	-	-	0	48.3	46.9 - 49.6	176
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	39.7	37.5 - 41.9	63	43.5	41.8 - 45.2	113	-	-	0	42.1	40.7 - 43.4	176
f. Served locally or regionally grown foods in the cafeteria or classrooms	73.0	71.0 - 75.0	63	73.6	72.1 - 75.1	113	-	-	0	73.4	72.2 - 74.6	176
g. Planted a school food or vegetable garden	47.6	45.4 - 49.9	63	57.0	55.3 - 58.7	113	-	-	0	53.5	52.1 - 54.8	176
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	95.2	94.2 - 96.1	63	91.0	90.0 - 92.0	113	-	-	0	92.6	91.9 - 93.3	176

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	87.3	85.8 - 88.8	63	81.3	80.0 - 82.6	113	-	-	0	83.6	82.6 - 84.6	176
j. Offered a self-serve salad bar to students	60.4	58.1 - 62.6	63	47.9	46.3 - 49.6	113	-	-	0	52.6	51.3 - 54.0	176
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	52.4	50.1 - 54.6	63	51.3	49.6 - 53.0	113	-	-	0	51.7	50.3 - 53.0	176
l. Encouraged students to drink plain water	90.5	89.1 - 91.7	63	91.9	91.0 - 92.8	113	-	-	0	91.4	90.6 - 92.1	176
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	50.8	48.6 - 53.1	63	51.1	49.4 - 52.8	113	-	-	0	51.0	49.6 - 52.3	176
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	50.8	48.6 - 53.1	63	46.0	44.3 - 47.6	113	-	-	0	47.8	46.4 - 49.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In the school building	84.1	82.4 - 85.7	63	84.2	82.9 - 85.4	113	-	-	0	84.2	83.1 - 85.1	176
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	80.9	79.1 - 82.7	63	80.6	79.2 - 81.9	113	-	-	0	80.7	79.6 - 81.8	176
c. On school buses or other vehicles used to transport students	85.7	84.0 - 87.2	63	85.9	84.6 - 87.0	113	-	-	0	85.8	84.8 - 86.7	176
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	79.3	77.5 - 81.1	63	86.0	84.7 - 87.1	113	-	-	0	83.5	82.4 - 84.4	176
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	74.6	72.6 - 76.5	63	85.0	83.8 - 86.2	113	-	-	0	81.1	80.0 - 82.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	90.5	89.0 - 91.7	63	93.4	92.5 - 94.2	113	-	-	0	92.3	91.5 - 93.0	176
b. Yes, in certain locations	7.9	6.8 - 9.3	63	5.7	5.0 - 6.5	113	-	-	0	6.6	5.9 - 7.2	176
c. No	1.6	1.1 - 2.3	63	0.9	0.6 - 1.3	113	-	-	0	1.2	0.9 - 1.5	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.4	97.7 - 98.9	63	99.1	98.7 - 99.4	113	-	-	0	98.8	98.5 - 99.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cafeteria during breakfast	92.0	90.6 - 93.1	62	94.1	93.2 - 94.9	106	-	-	0	93.3	92.5 - 93.9	168
b. Cafeteria during lunch	92.0	90.6 - 93.1	62	95.1	94.3 - 95.8	106	-	-	0	93.9	93.2 - 94.5	168
c. Gymnasium or other indoor physical activity facilities	95.3	94.2 - 96.1	63	95.6	94.9 - 96.3	113	-	-	0	95.5	94.9 - 96.0	176
d. Outdoor physical activity facilities or sports fields	73.4	71.3 - 75.4	60	60.5	58.8 - 62.2	104	-	-	0	65.5	64.1 - 66.8	164
e. Hallways throughout the school	100.0	†	63	99.1	98.7 - 99.4	113	-	-	0	99.4	99.2 - 99.6	176

*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.8	96.0 - 97.5	63	89.2	88.2 - 90.3	113	-	-	0	92.1	91.4 - 92.8	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
17.5	15.9 - 19.3	63	21.5	20.2 - 23.0	113	-	-	0	20.0	19.0 - 21.1	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
27.0	25.0 - 29.0	63	19.9	18.6 - 21.3	113	-	-	0	22.6	21.5 - 23.7	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. HIV testing	0.0	†	63	0.0	†	113	-	-	0	0.0	†	176
b. HIV treatment (ongoing medical care for persons living with HIV)	1.6	1.1 - 2.2	63	1.8	1.4 - 2.3	113	-	-	0	1.7	1.4 - 2.1	176
c. STD testing	0.0	†	63	0.0	†	113	-	-	0	0.0	†	176
d. STD treatment	1.6	1.1 - 2.2	63	0.9	0.6 - 1.3	112	-	-	0	1.2	0.9 - 1.5	175
e. Pregnancy testing	1.6	1.1 - 2.2	63	0.9	0.6 - 1.3	113	-	-	0	1.1	0.9 - 1.5	176
f. Provision of condoms	1.6	1.1 - 2.3	62	0.0	†	113	-	-	0	0.6	0.4 - 0.9	175
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	63	0.0	†	113	-	-	0	0.0	†	176
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	63	0.0	†	113	-	-	0	0.0	†	176
i. Prenatal care	0.0	†	62	0.9	0.6 - 1.3	113	-	-	0	0.6	0.4 - 0.8	175

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
j. Human papillomavirus (HPV) vaccine administration	1.6	1.1 - 2.3	63	0.0	†	113	-	-	0	0.6	0.4 - 0.9	176
k. Assessment for alcohol or other drug use, abuse, or dependency	50.8	48.5 - 53.1	63	26.8	25.4 - 28.3	113	-	-	0	35.9	34.6 - 37.2	176
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	93.7	92.5 - 94.7	63	90.2	89.1 - 91.1	113	-	-	0	91.5	90.7 - 92.2	176
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	93.7	92.5 - 94.7	63	82.3	81.0 - 83.6	113	-	-	0	86.6	85.7 - 87.5	176
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	87.4	85.8 - 88.8	63	83.0	81.7 - 84.3	113	-	-	0	84.7	83.7 - 85.6	176

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	60.4	57.9 - 62.7	53	22.0	20.5 - 23.5	101	-	-	0	35.9	34.5 - 37.3	154
b. HIV treatment (ongoing medical care for persons living with HIV)	63.5	61.3 - 65.7	63	30.2	28.6 - 31.8	113	-	-	0	42.7	41.4 - 44.1	176
c. nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	61.9	59.7 - 64.1	63	31.0	29.4 - 32.6	113	-	-	0	42.6	41.3 - 44.0	176
d. STD testing	62.3	59.8 - 64.6	53	22.4	20.9 - 24.0	99	-	-	0	37.1	35.6 - 38.5	152
e. STD treatment	61.1	58.7 - 63.5	54	22.4	20.9 - 24.0	99	-	-	0	36.8	35.4 - 38.2	153
f. Pregnancy testing	64.7	62.3 - 67.1	51	23.2	21.7 - 24.8	100	-	-	0	38.0	36.6 - 39.4	151
g. Provision of condoms	53.6	51.2 - 55.9	56	22.0	20.5 - 23.5	101	-	-	0	33.8	32.5 - 35.2	157

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	47.3	45.0 - 49.7	57	22.0	20.5 - 23.5	101	-	-	0	31.6	30.3 - 32.9	158
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	56.4	54.0 - 58.8	55	22.0	20.5 - 23.5	101	-	-	0	34.7	33.4 - 36.1	156
j. Prenatal care	61.6	59.1 - 64.0	52	23.9	22.4 - 25.4	101	-	-	0	37.4	36.0 - 38.8	153
k. Human papillomavirus (HPV) vaccine administration	61.9	59.7 - 64.1	63	32.8	31.2 - 34.4	113	-	-	0	43.8	42.4 - 45.1	176
l. Alcohol or other drug abuse treatment	74.6	72.6 - 76.5	63	50.4	48.7 - 52.0	113	-	-	0	59.5	58.2 - 60.8	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.7	64.6 - 68.8	63	68.1	66.5 - 69.7	113	-	-	0	67.6	66.3 - 68.8	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Asthma	96.8	95.9 - 97.5	63	98.2	97.7 - 98.6	113	-	-	0	97.7	97.2 - 98.0	176
b. Food allergies	96.8	95.9 - 97.5	63	99.1	98.7 - 99.4	113	-	-	0	98.2	97.8 - 98.6	176
c. Diabetes	96.8	95.9 - 97.5	63	98.2	97.7 - 98.6	113	-	-	0	97.7	97.2 - 98.1	176
d. Epilepsy or seizure disorder	96.8	95.9 - 97.5	63	98.2	97.7 - 98.6	113	-	-	0	97.7	97.2 - 98.1	176
e. Obesity	44.5	42.2 - 46.7	63	48.6	46.9 - 50.3	113	-	-	0	47.0	45.7 - 48.4	176
f. Hypertension/high blood pressure	74.6	72.6 - 76.6	63	70.8	69.3 - 72.3	113	-	-	0	72.3	71.0 - 73.5	176
g. Oral health condition (e.g., abscess, tooth decay)	61.9	59.7 - 64.1	63	65.4	63.8 - 67.0	113	-	-	0	64.1	62.8 - 65.4	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	73.0	71.0 - 75.0	63	63.7	62.0 - 65.3	113	-	-	0	67.2	65.9 - 68.5	176
b. Food allergies	71.4	69.3 - 73.4	63	63.8	62.2 - 65.4	113	-	-	0	66.7	65.4 - 67.9	176
c. Diabetes	73.0	71.0 - 75.0	63	65.6	63.9 - 67.1	113	-	-	0	68.4	67.1 - 69.6	176
d. Epilepsy or seizure disorder	71.4	69.3 - 73.4	63	62.9	61.2 - 64.5	113	-	-	0	66.1	64.8 - 67.4	176
e. Obesity	47.6	45.4 - 49.9	63	54.8	53.1 - 56.5	113	-	-	0	52.1	50.7 - 53.4	176
f. Hypertension/high blood pressure	68.2	66.1 - 70.3	63	58.3	56.7 - 60.0	113	-	-	0	62.1	60.7 - 63.4	176
g. Oral health condition (e.g., abscess, tooth decay)	71.4	69.3 - 73.4	63	64.5	62.8 - 66.1	113	-	-	0	67.1	65.8 - 68.3	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. This school does not provide any sexual or reproductive health services	83.6	81.8 - 85.2	61	89.5	88.4 - 90.5	112	-	-	0	87.3	86.4 - 88.2	173
b. Parental consent is required before any sexual or reproductive health services are provided	9.8	8.5 - 11.3	61	6.9	6.1 - 7.8	112	-	-	0	8.0	7.3 - 8.7	173
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	1.7	1.2 - 2.4	61	0.9	0.6 - 1.3	112	-	-	0	1.2	0.9 - 1.5	173
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	4.9	4.0 - 6.0	61	0.9	0.6 - 1.3	112	-	-	0	2.4	2.0 - 2.9	173
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	0.0	†	61	1.8	1.4 - 2.3	112	-	-	0	1.1	0.9 - 1.5	173
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	61	0.0	†	112	-	-	0	0.0	†	173

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	28.0	25.7 - 30.3	50	70.0	68.3 - 71.6	99	-	-	0	55.1	53.7 - 56.6	149
b. Parental consent is required before any sexual or reproductive health services are referred	20.0	18.0 - 22.1	50	22.0	20.5 - 23.5	99	-	-	0	21.3	20.1 - 22.5	149
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	6.0	4.9 - 7.4	50	3.0	2.4 - 3.6	99	-	-	0	4.0	3.5 - 4.7	149
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	26.0	23.9 - 28.3	50	1.0	0.7 - 1.5	99	-	-	0	9.9	9.0 - 10.8	149
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	8.0	6.7 - 9.5	50	3.1	2.5 - 3.7	99	-	-	0	4.8	4.2 - 5.5	149
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	12.0	10.4 - 13.7	50	1.0	0.7 - 1.5	99	-	-	0	4.9	4.3 - 5.6	149

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Provided parents and families with information about how to communicate with their child about sex	36.6	34.4 - 38.8	63	38.9	37.2 - 40.5	113	-	-	0	38.0	36.7 - 39.3	176
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	42.9	40.7 - 45.2	63	68.1	66.5 - 69.7	113	-	-	0	58.6	57.3 - 59.9	176
c. Involved parents as school volunteers in the delivery of health education activities and services	23.8	21.9 - 25.8	63	32.0	30.4 - 33.6	113	-	-	0	28.9	27.7 - 30.2	176
d. Linked parents and families to health services and programs in the community	84.1	82.4 - 85.7	63	85.0	83.8 - 86.2	113	-	-	0	84.7	83.7 - 85.6	176
e. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	55.5	53.3 - 57.7	63	56.5	54.8 - 58.1	113	-	-	0	56.1	54.8 - 57.4	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.3	85.8 - 88.8	63	94.2	93.4 - 94.9	113	-	-	0	91.6	90.8 - 92.3	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
33.3	31.3 - 35.5	63	39.6	38.0 - 41.3	113	-	-	0	37.3	36.0 - 38.6	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
79.4	77.5 - 81.2	63	48.7	47.0 - 50.4	113	-	-	0	60.3	58.9 - 61.6	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.7	92.5 - 94.7	63	68.1	66.5 - 69.7	113	-	-	0	77.7	76.6 - 78.8	176

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

NEW HAMPSHIRE
2018 School Health Profiles Report
Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
39.7	37.5 - 41.9	63	54.0	52.3 - 55.7	113	-	-	0	48.6	47.2 - 49.9	176

- Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations